

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appellant:

Liang et al

Appl. No.:

09/089,290 June 1, 1998

Filed: Title:

Reduced Resolution Video Decompression

Art Unit:

2713

Examiner:

Lee

Mail Stop Appeal Brief-Patents

Commissioner for Patents

Alexandria, VA 22313-1450

Docket:

TI-26415

MAY 1 4 2003

Technology Center 2600

APPELLANTS' BRIEF (in triplicate)

MAILING CERTIFICATE

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 20231 today.

Dear Sir:

P.O.Box 1450

The attached sheets contain the Rule 192(c) items of appellants' brief. The Commissioner is hereby authorized to charge the fee for filing a brief in support of the appeal plus any other necessary fees to the deposit account of Texas Instruments Incorporated, account No. 20-0668; two additional copies of this first sheet of appellants' brief are enclosed.

Respectfully submitted,

Carlton H. Hoel

Reg. No. 29,934

Texas Instruments Incorporated

PO Box 655474, M/S 3999

Dallas, Texas 75265 972.917.4365

007/14/E003 HWHHED& 00000053 E00686 05089290

0.73462

320.00 CM

Rule 192(c)(1) Real party of interest

Texas Instruments Incorporated owns the application.

Rule 192(c)(2) Related appeals and interferences

There are no related dispositive appeals or interferences.

Rule 192(c)(3) Status of claims

Claims 1-5 are pending in the application with all claims finally rejected. This appeal involves the finally rejected claims.

Rule 192(c)(4) Status of amendments

There is no amendment after final rejection.

Rule 192(c)(5) Summary of the invention

The invention provides a decoding of MPEG-type compressed video with a single frame having macroblocks decoded at different resolutions. Application figures 30a-30c and application pages 5-8 summarize a preferred embodiment, and application pages 15-18 detail the motion vector drift problem and how the invention overcomes the problem. This differing resolution decoding within a single frame allows for efficient conversion of high definition TV (HDTV) signals into standard definition TV by decoding I frames at full HDTV resolution, B frames at standard definition resolution, and P frames with differing resolution depending upon whether or not a macroblock is likely to lead to motion vector drift.

Rule 192(c)(6) Issues

The issue presented on appeal is:

whether claims 1-5 are anticipated by the Civanlar reference.

Rule 192(c)(7) Grouping of the claims

The claims are treated as a single group.

Rule 192(c)(8) Argument

(1) Claims 1-5 were rejected as anticipated by Civanlar. The Examiner cited Appellants reply that Civanlar item 401 is a partitioned buffer containing plural images of varying resolution but which are treated as a single image by standard MPEG decoder 402 and decoded as such (column 11, lines 50-60). That is, MPEG decoder 402 does not change decoding resolution during its decoding as required by claim 1. Further, Civanlar item 409 is not a stored reference macroblock but rather part of compositor 407 which rearranges the output of MPEG decoder 402; that is, 407 does not do decoding and item 409 is a (decoded) line segment mapping table. Civanlar has no suggestion of the decoding of two macroblocks of the same predicted frame at differing resolutions as required by independent claim 1. Consequently, the claims are patentable over the reference.

Rule 192(c)(9) Appendix

- 1. A method of decoding video containing predicted frames, comprising the steps of:
- (a) decoding a first macroblock of a first predicted frame at a first resolution and decoding a second macroblock of said first predicted frame at a second resolution greater than said first resolution.
- 2. The method of claim 1, wherein:
 - (a) said macroblocks have associated motion vectors.
- 3. The method of claim 1, wherein:
 - (a) said video is MPEG encoded; and
 - (b) said predicted frames are P frames.
- 4. The method of claim 1, wherein:
- (a) said first macroblock has high frequency component energy less than a threshold
 and said second macroblock has high frequency component energy greater than said threshold.
 - 5. The method of claim 2, wherein:
 - (a) said decoding of said second macroblock includes upsampling of a stored reference macroblock.